## Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## (currently amended)

An air conduction element (1), particularly an air conduction channel for a motor vehicle, having a reverberant channel body (2) manufactured from plastic, which has at least one wall region replaced by a sound-absorbing component (10, 11, 12), the sound-absorbing component having an at least partially exposed outer side,

characterized in that wherein an edge region of the sound-absorbing component (10, 11, 12) is extrusion-coated with the plastic of the channel body (2) in such a way that the sound-absorbing component (10, 11, 12) is connected in a form-fitting way to the channel body (2) along at least a section of its circumference.

### 2. (currently amended)

The air conduction element according to Claim 1, characterized in that wherein the sound-absorbing component (10, 11, 12) is connected in a form-fitting way to the channel body (2) along its entire circumference.

#### 3. (currently amended)

The air conduction element according to Claim 1, wherein or 2, characterized in that the sound-absorbing component (10, 11, 12) is produced from a porous, air-permeable layer (15) made of sound-absorbing material.

## 4. (currently amended)

The air conduction element according to <u>Claim 1, wherein</u> one of <u>Claims 1 to 3, characterized in that</u> the sound-absorbing component (10, 11, 12) is produced from an air-permeable layer (15) made of polyethylene terephthalate.

## 5. (currently amended)

The air conduction element according to Claim 3, wherein or 4, characterized in that the air-permeable layer (15) of the sound-absorbing component is provided with a carring nonwoven (16) and/or a covering nonwoven (17).

#### 6. (currently amended)

The air conduction element according to <u>Claim 1, wherein</u> one of <u>Claims 1 to 5</u>, characterized in that the sound-absorbing component (11) is provided on the outside with a film (18) which is impermeable to air.

### 7. (currently amended)

The air conduction element according to <u>Claim 1, wherein</u> one of <u>Claims 1</u> to 6, characterized in that the sound-absorbing component (10, 11, 12) is provided on the outside with a microperforated film.

### 8. (currently amended)

The air conduction element according to <u>Claim 1, wherein</u> one of <u>Claims 1 to 7</u>, characterized in that the sound-absorbing component (10) is implemented as a curved molded part.

### 9. (currently amended)

The air conduction element according to <u>Claim 1</u>, <u>wherein one</u> of <u>Claims 1 to 8</u>, <u>characterized in that</u> the channel body (2) is implemented as a one-piece hollow body.

# 10. (currently amended)

The air conduction element according to <u>Claim 1</u>, wherein one of <u>Claims 1</u> to 9, characterized in that the channel body (2) and the sound-absorbing component (10, 11, 12) and possibly a film (18) positioned on the outside of the sound-absorbing component are each produced from polyethylene terephthalate.